

## FEATURES


- Measuring temperature 32°C - 42°C or 89°F - 108°F
- Accuracy  $\pm 0.2^{\circ}\text{C}$
- Resolution:  $0.1^{\circ}$  /  $0.2^{\circ}\text{F}$
- Relative humidity: 10% - 90%
- Spectral responses 5 - 14  $\mu\text{m}$
- Response Time: 1 second
- Illuminated display: Yes
- Reading retention: Yes
- Measurement storage: 20 records
- Offset Adjustment: Yes
- Low battery warning: Yes

92 mm



142 mm


47 mm




PRECISION  
+/- 0.2°C



FAST RESPONSE  
1 SECOND



10 PERSON  
PER MINUTE



TEMPERATURE  
CONVERSION



BODY: 32-42°C



NON-CONTACT  
5-15 CM.



MS6590P  
Non-Contact  
Infrared Thermometer  
Operating Range: 5cm-15cm Time: 0.5sec

Non-Contact  
Infrared Thermometer

# Non-Contact Infrared Thermometer

SKU/Order Number: 1000004547

## Specifications

Temperature	32°C~42°C
Resolution	0.1°C/0.2°F
Repeatability	0.1°C
Spectral Response	8-14 μm
MAX Distance	15cm
Response Time	approx 1s
Ambient Operating Range	15°C~35°C
Relative Humidity	10%~90%
Power Supply	1x9V/6LR61 Battery (Not Included)
Product Weight	135g (Battery Not Included)
Product Size	148x92x43 mm





**Non-Contact Infrared Thermometer**

Operating Range: 5cm - 15cm

Time: 0.5sec DC: 9V (6LR61)

°C °F  
HOLD SCAN AL  
1888  
MEM 1888

M  
MEM